

## New PRO Consumer units range (6kA)

- Part numbers are structured on the number of useable ways
- MTC pre-fitted
- 1x Rear grommet and 1x MFDRB included in accessories bag (refer page 3)
- 1 additional outgoing way (compared to like for like previous code number)
- Models pre-installed with SPD will use the new SRGT2B, positioned next to the main switch (refer page 3)

### RCBO Consumer Units with Surge Protections



Knockout Arrangement	New Part Number	Old Part Number	Useable Ways	Enclosure Size (Modules)
□	PRO-S06W-R1S	PRO-MX08MS	6	9
	PRO-S08W-R1S	PRO-MX10MS	8	11
	PRO-S10W-R1S	PRO-MX12MS	10	13
	PRO-S14W-R1S	PRO-MX16MS	14	17
	PRO-S19W-R1S	PRO-MX21MS	19	22
○	PRO-R03W-R1	PRO-R04M	3	5
	PRO-R07W-R1	PRO-R08M	7	9
	PRO-R09W-R1	PRO-R10M	9	11
	PRO-R11W-R1	PRO-R12M	11	13
	PRO-R15W-R1	PRO-R16M	15	17
	PRO-R20W-R1	PRO-R21M	20	22

### Pre-populated RCBO Consumer Units with Surge Protection



Knockout Arrangement	New Part Number	Old Part Number	Useable Ways	Enclosure Size (Modules)
□	PRO-S10W-P1S	PRO-PR10S	10	13
	PRO-S14W-P1S	PRO-PR14S	14	17

### Black Consumer Units - Matte Finish



Knockout Arrangement	New Part Number	Old Part Number	Useable Ways	Enclosure Size (Modules)
○	PRO-R10B-R1S	PRO-R12MSBK	10	13
	PRO-R19B-R1S	PRO-R21MSBK	19	22

## ▲ Dual Row Consumer Units



Knockout Arrangement	New Part Number	Old Part Number	Useable Ways	Enclosure Size (Modules)
○	PRO-R22W-R1S	PRO-RD21MS	22	26
	PRO-R30W-R1S	PRO-RD29MS	30	34
	PRO-R40W-R1S	PRO-RD39MS	40	44

## ▲ Semi-Populated Dual RCCB



Knockout Arrangement	New Part Number	Old Part Number	Useable Ways	Enclosure Size (Modules)
□	PRO-S07W-D1	PRO-MX12RRMFLEXIA	7	13
	PRO-S11W-D1	PRO-MX16RRMFLEXIA	11	17
	PRO-S16W-D1	PRO-MX21RRMFLEXIA	16	22
○	PRO-R07W-D1	PRO-R12RRMFLEXIA	7	13
	PRO-R11W-D1	PRO-R16RRMFLEXIA	11	17
	PRO-R16W-D1	PRO-R21RRMFLEXIA	16	22

## ▲ Dual Tariff



Knockout Arrangement	New Part Number	Old Part Number	Useable Ways	Enclosure Size (Modules)
□	PRO-S13W-T1	PRO-MX17DT	13	17
	PRO-S18W-T1	PRO-MX22DT	18	22
○	PRO-R13W-T1	PRO-R17DT	13	17
	PRO-R18W-T1	PRO-R22DT	18	22

## ▲ RCCB Incomer



Knockout Arrangement	New Part Number	Old Part Number	Useable Ways	Enclosure Size (Modules)
□	PRO-S07W-C1	PRO-MX08R	7	9
	PRO-S09W-C1	PRO-MX10R	9	11
	PRO-S11W-C1	PRO-MX12R	11	13
○	PRO-R03W-C1	PRO-R04R	3	5
	PRO-R07W-C1	PRO-R08R	7	9
	PRO-R09W-C1	PRO-R10R	9	11
	PRO-R11W-C1	PRO-R12R	11	13

## ▲ Split Load Consumer Units



Knockout Arrangement	New Part Number	Old Part Number	Useable Ways	High Integrity Ways	Enclosure Size (Modules)
□	PRO-S12W-H1S	New offer	12	9	17
	PRO-S17W-H1S	New offer	17	15	22
○	PRO-R12W-H1S	New offer	12	9	17
	PRO-R17W-H1S	New offer	17	15	22

**NEW**

## ▲ Single Phase SPD

- Fits directly to the comb busbar in PRO consumer units
- No dedicated MCB required
- Suitable for use with maximum back up fuse 100A
- Mechanical flag and volt free changeover signalling contact for end of life indication



Part Number	Type	Voltage Protection Level (Up) L/N	Nominal discharge current (In/Imax) 8/20 μs	Max continuous operating voltage (Uc)	Lightning impulse current (I imp / I total) 10/350 μs	Config.	Total Modules
SRGT2B	Type 2	<1.5kV	20/40 kA	275 VAC	-	1+1 (Connection Type CT2)	1

Scan to access the CPD course on SPDs from our Lewden Academy



## ▲ Included Accessories



Segmented cable grommets for rear knockouts on all PRO Consumer units		
CUGR-LR (100 x 60mm)	OR	CUGR-SR (60 x 60mm)
1 in each pack for		1 in each pack
13 to 22 module Enclosures		9 to 11 module Enclosures



Multi-Function DIN rail blank
MFDRB
1 in each pack



**LEWDEN LTD**  
 Unit 4, Bradbury Drive,  
 Springwood Industrial Estate,  
 Braintree  
 Essex  
 CM7 2SD

Tel.: +44 (0) 1376 336 200  
 sales@lewden.co.uk

[www.lewden.com](http://www.lewden.com)



For instant access to technical support through our team of expert engineers.